
ACETAMINOPHEN oral solution 160mg per 5mL

DRUG FACTS

Active ingredient (in each 5 mL)

Acetaminophen 160 mg

PURPOSE

Pain reliever/fever reducer

USES

Temporarily:

- reduces fever
- relieves minor aches and pains due to:
- the common cold
- flu
- headache
- sore throat
- toothache

WARNINGS

Liver warning: This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than more than 5 doses in in 24 hours, which is the maximum daily amount for this product
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has more alcoholic drinks everyday while using this product Ask a doctor before use if the user has liver disease.

Do no use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor or pharmacist before use If the user is taking the blood thinning drug warfarin.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult physician promptly. Do not use more than 2 days or administer to children under 3 years or age unless directed by physician.

Stop use and ask a doctor if

- symptoms do not improve
- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

DIRECTIONS

- **do not take more than directed (see overdose warning)** • do not take more than 5 doses in any 24-hour period
- dose as follows or as directed by doctor:
- take only with dosing cup provided
- adults and children 12 years of age and older: 20 mL (640 mg) in dosing cup every 6 hours
- children under 12 years of age: ask a doctor
- this product does not contain directions or complete warnings for use

OTHER INFORMATION

each 5 mL contains: **sodium 8 mg** store at

20 -25°C (68 -77°F)

tamper evident: DO NOT use if foil on cup is missing or torn

Alcohol Free, Dye Free, Sugar Free

NDC 81033-002-05: 5 mL (160mg) unit dose cup

NDC 81033-002-10: 10.15mL (325mg) unit dose cup

NDC 81033-002-20: 20.3 mL (650mg) unit dose cup

INACTIVE INGREDIENTS

Citric acid, grape flavor, edetate disodium, glycerin, maltitol, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sorbitol, sucralose, trisodium citrate dihydrate, xanthan gum

[QUESTIONS OR COMMENTS?](#)

Call 1-833-537-4679